


BAFANG



Display C15





- 1 + / verlichting aan
- 2 ON/OFF/Mode
- 3 - / 6Km loop functie
- 4 Intelligente batterijcapaciteit indicatie
- 5 Real-time snelheid indicatie
- 6 Meerdere functie indicatiegebied
- 7 Power Assistance niveau indicatie





1. Trip
2. ODO
3. MAX
4. AVG
5. RANGE
6. CAL
7. TIME
8. POWER

Dag afstand
 Totale afstand
 Maximale snelheid
 Gemiddelde Snelheid
 Resterende Actieradius
 Calorie verbruik
 Rijtijd
 Output power





Om in het menu te komen dien je de + en de – knop tegelijk in te drukken.

In het menu zijn de + en – knoppen de keuze knoppen
De aan/uit knop is de bevestiging.



Display Setting
Information
Exit

Het menu is ingedeeld in 2 opties.

- Trip Reset
- Unit
- Brightness
- Auto Off

- Back

- Wheel Size
- Speed Limit
- Battery Info
- Error Code
- Back

Display settings

Trip reset

KM/Miles

Achtergrond verlichting

Auto off

Information

Wiel omtrek

Snelheid limiet

Batterij informatie

Error codes



Code	Code definition	unit
b01	Current temperature	℃
b04	Total voltage	mV
b06	Average current	mA
b07	Remaining capacity	mAh
b08	Full charge capacity	mAh
b09	Relative SOC	%
b10	Absolute SOC	%
b11	Cycle	times
b12	Maximum not charging time	Hour

b13	Recently not charging time	Hour
d00	Number of battery cell	
d01	Voltage of cell 1	mV
d02	Voltage of cell 2	mV
...	...	mV
dn	Voltage of cell n	mV



The End

